



## Labelling guideline

Guideline for the use of the „IS-OETI TESTED“ labelling



## Content

|     |   |   |
|-----|---|---|
| 1   | Purpose and scope of the marking .....    | 3 |
| 2   | Terms of use.....                         | 3 |
| 3   | IS-OETI TESTED labelling design.....      | 3 |
| 3.1 | Colours.....                              | 3 |
| 3.2 | Design requirements.....                  | 4 |
| 4   | Use of the IS-OETI TESTED labelling ..... | 4 |
| 5   | Expiration of rights of use.....          | 4 |
| 6   | License Fee .....                         | 4 |

## Imprint

Media owner and editor  
ÖTI-Institut für Ökologie, Technik und Innovation GmbH  
Spengergasse 20  
1050 Wien  
ÖSTERREICH

Place of origin: Vienna

Publisher+print:  
Own copy system  
Edition: 08/2016

## 1 Purpose and scope of the marking

Products tested by OETI can be awarded the IS-OETI TESTED labelling.

This labelling enables businesses to convey to their business partners and consumers that a product has certain characteristics or features and/ or fulfils certain requirements and that OETI monitors these specific characteristics or requirements.

With this guideline, OETI specifies the requirements and terms of use for IS-OETI TESTED.

## 2 Terms of use

Permission to carry the IS-OETI TESTED labelling, only when:


- The conditions specified in the IS-OETI TESTED standard have been positively tested at the first inspection.
- Tests carried out in the course of the recertification process must meet the requirements as specified in the standard.
- The certification fee for the IS-OETI TESTED labelling has been paid.

## 3 IS-OETI TESTED labelling design

As depicted below, the IS-OETI TESTED mark consists of the graphic elements circle and OETI logo, the lettering IS-OETI TESTED, the officially approved test number and description of the product characteristic or name feature that OETI monitors.




### 3.1 Colours



Pan 299  
C100/M40/Y10/K0  
R69/G117/B180

Pan 2199  
C70/M0/Y10/K0  
R41/G172/B222



Pan 360  
C60/M10/Y80/K0  
R110/G181/B89

Pan 326  
C70/M0/Y40/K0  
R96/G184/B150

### 3.2 Design requirements

- The IS-OETI TESTED mark must be completely visible and must not be altered in any way (Graphics, text, colour).
- The IS-OETI TESTED labelling must measure at least 20 mm in diameter. All letterings must be clearly readable.

OETI is entitled to change the design of the labelling. The user is obliged under the agreement to adopt the new design after a reasonable transitional period. OETI is bound by agreement to inform the user of any changes. OETI is obliged to provide an electronic version of the altered label.

## 4 Use of the IS-OETI TESTED labelling

The IS-OETI TESTED mark

- May be depicted on the product, on the packing material, in respective technical documentation, in all advertising materials and on the website.
- Must solely be used to mark the tested product and it must be clear for which product the mark is applicable.
- Must only be used as depicted under line item 3.

The colours defined under line item 3.1 must be used.

## 5 Expiration of rights of use

The marking authorization expires when:

- The physical and chemical product characteristics are altered.
- During the monitoring process, subsequent testing does not confirm the initial positive test results.
- The use of the IS-OETI TESTED mark does not comply with the labelling guideline.
- The certificate is no longer valid.
- The license fee as pointed out under line item 6 is not paid.

## 6 License Fee

A license fee of € 650.00 applies for the use of the IS-OETI TESTED marking. The license fee applies per certificate. OETI reserves the right to adjust the license fee.